



NATIONAL GUARD PRODUCTS - STOCK SHEET

— UPDATED AUGUST 2025 —

LOW-PROFILE LITE KITS

LOW PROFILE LITE KITS & SECURITY VISION FRAMES

L-FRA100	Order Size (Cut-Out Size)	Color Options	Exposed Glass Size (Visible Light)
	4 x 10	Gray	2 x 8
	5 x 5	Gray	3 X 3
	5 x 35	Bronze, Beige, Gray	3 x 33
	6 x 27	Bronze, Beige, Gray	4 x 25
	7 x 22	Bronze, Beige, Gray	5 x 20
	8 x 18	Bronze, Beige, Gray	6 x 16
	8 x 32	Bronze, Beige, Gray	6 x 30
	8 x 36	Bronze, Beige, Gray	6 x 34
	8 x 48	Bronze	6 x 46
	12 x 12	Bronze, Beige, Gray	10 x 10
	18 x 18	Gray	16 x 16
	18 x 30	Bronze, Beige, Gray	16 x 28
	18 x 32	Bronze	16 x 30
	18 x 36	Bronze	16 x 34
	18 x 56	Bronze, Gray	16 x 54
	18 x 60	Bronze, Gray	16 x 58
	20 x 26	Gray	18 x 24
	24 x 24	Bronze, Beige, Gray	22 x 22
	24 x 30	Bronze, Beige, Gray	22 x 28
	24 x 32	Bronze, Beige, Gray	22 x 30
	24 x 34	Bronze, Beige, Gray	22 x 32
	24 x 36	Bronze, Beige, Gray	22 x 34
	24 x 56	Bronze	22 x 54
	24 x 60	Bronze, Gray	22 x 58
	24 x 64	Bronze, Gray	22 x 62
	24 x 66	Bronze, Gray	22 x 64
	30 x 32	Gray	28 x 30



Phone: (770) 923-9227

Fax: (770) 923-9262

Email: sales@sbsassoc.com

Web: sbsassoc.com

PLEASE CONTACT US FOR CURRENT PRICING.

LOW-PROFILE LITE KITS

LOW PROFILE LITE KITS & SECURITY VISION FRAMES

L-FRA-100-RD - Round Light Kits For 1¾" Doors, ¼" Glass

<u>Type</u>	<u>Color Options</u>	<u>Description</u>
FRA-100-RD - 12	Gray	12" Round Frame
FRA-100-RD - 18	Gray	18" Round Frame
FRA-100-RD - 24	Gray	24" Round Frame

SECURITY VISION FRAMES (NON-GALVANIZED)

L-GLF100-TB (with Flap)

<u>Order Size</u> <u>(Cut-Out Size)</u>	<u>Color Options</u>
6 x 6	Gray

LOUVERS

DOOR & FUSIBLE LINK LOUVERS

L-700-RX DOOR LOUVER (Inverted "V" Blades)

<u>Order Size</u> <u>(Cut-Out Size)</u>	<u>Color Options</u>
12 x 12	Bronze, Beige, Gray
12 x 18	Gray
18 x 12	Bronze, Beige, Gray
18 x 18	Bronze, Beige, Gray
18 x 24	Bronze, Beige, Gray
18 x 32	Bronze
18 x 60	Bronze
20 x 12	Bronze
20 x 60	Bronze
20 x 64	Bronze
24 x 12	Bronze, Beige, Gray
24 x 18	Bronze, Beige, Gray
24 x 24	Bronze, Beige, Gray
24 x 32	Bronze
24 x 36	Bronze
24 x 60	Bronze, Beige, Gray
24 x 64	Gray
24 x 66	Gray
30 x 30	Gray

L-1900 UL DOOR LOUVER - UL Listed (Fusible Link)

<u>Order Size</u> <u>(Cut-Out Size)</u>	<u>Color Options</u>
12 X 12	Bronze, Gray
18 x 12	Bronze
18 x 18	Gray
18 x 24	Gray
24 x 12	Bronze
24 x 18	Bronze
24 x 24	Bronze, Gray



Phone: (770) 923-9227

Fax: (770) 923-9262

Email: sales@sbsassoc.com

Web: sbsassoc.com

PLEASE CONTACT US FOR CURRENT PRICING.

LOUVERS & LITE KITS

GALVANIZED WITH GRAY PRIMER

GALVANIZED LOUVERS AND LITE KITS WITH GRAY PRIMER

L-FRA-100 - Low Profile Galvanized Lite Kits

Order Size		Exposed Glass Size
<u>(Cut-Out Size)</u>	<u>Color Options</u>	<u>(Visible Light)</u>
6 x 27	Gray	4 x 25
7 x 22	Gray	5 x 20
8 x 32	Gray	6 x 30
8 x 36	Gray	6 x 34
12 x 12	Gray	10 x 10
24 x 30	Gray	22 x 28
24 x 32	Gray	22 x 30
24 x 36	Gray	22 x 34
24 x 34	Gray	22 x 32

L-700-RX GALVANIZED DOOR LOUVER (Inverted "V" Blades)

Available with Loose Galvanized Screens - Add \$10.00 per unit

Order Size	
<u>(Cut-Out Size)</u>	<u>Color Options</u>
12 x 12	Gray
18 x 24	Gray
18 x 60	Gray
24 x 12	Gray
24 x 18	Gray
24 x 24	Gray
24 x 60	Gray

L-1900 UL LISTED GALVANIZED DOOR LOUVER (Fusible Link)

Order Size	
<u>(Cut-Out Size)</u>	<u>Color Options</u>
12 x 12	Gray
18 x 24	Gray
24 x 24	Gray

L-1800 ADJUSTABLE DOOR LOUVER with Attached Galvanized Screen

Order Size	
<u>(Cut-Out Size)</u>	<u>Color Options</u>
12 x 12	Gray
24 x 24	Gray



Phone: (770) 923-9227

Fax: (770) 923-9262

Email: sales@sbsassoc.com

Web: sbsassoc.com

PLEASE CONTACT US FOR CURRENT PRICING.

GLASS

FIRE-RATED WIRE GLASS WITH LITE KIT & GLAZING TAPE

FIRE RATED WIRE GLASS - LISTED AND INDIVIDUALLY LABELED - Not Safety Rated

¼" Polished Wire

U.L. and W.H.I. Classification Markings

Fire Ratings: 20/45 Minutes at 1296 square inches
60/90 Minutes at 100 square inches

Diamond Pattern Only

Order Size (Actual Glass Size)

4 x 34
5 x 26
6 x 21
7 x 31
11 x 11
23 x 29
23 x 31
23 x 35

Please Note:

**We Do NOT Ship Glass Only.
Glass Is Only CPU.**

For L-FRA100 Lite Kit

5 x 35
6 x 27
7 x 22
8 x 32
12 x 12
24 x 30
24 x 32
24 x 36

GLAZING TAPE

Closed Cell Foam

W.H.I. Fire Rated up to 3 hours

Two Sided Adhesive with Paper or Polyethylene Liner on one side

Black Color - 3/8" Width - 4 Rolls per box

GT-116

1/16" Thick

200 L Ft. per roll

GT-118

1/8" Thick

100 L Ft. per roll

L-FRA-100 with UL Listed and Individually Labeled Wire Glass - 2 Pack Cartons

With GT-118 Glazing Tape Applied

Not Safety Rated

Order Size (Cut-Out Size)

5 x 35
6 x 27
7 x 22
8 x 32
12 x 12
24 x 30*
24 x 32*
24 x 36*

Color Options

Gray
Gray
Gray
Gray
Gray
Gray
Gray
Gray

Exposed Glass Size (Visible Light)

3 x 33
4 x 25
5 x 20
6 x 30
10 x 10
22 x 28
22 x 30
22 x 34

*Customer Pick-Up Only

Please Note:

**We Do Not Break Carton.
Must Ship Per Carton.**



Phone: (770) 923-9227

Fax: (770) 923-9262

Email: sales@sbsassoc.com

Web: sbsassoc.com

PLEASE CONTACT US FOR CURRENT PRICING.

Protect 3 Fire Rated Safety Wire Glass

5/16"
with Surface Applied Film

Fire Rated
20 minutes to 90 minutes

Order Size
(Actual Glass Size)

4 x 34
5 x 26
6 x 21
7 x 31
11 x 11
23 x 29
23 x 31
23 x 35

Please Note:
We Do NOT Ship Glass Only.
Glass Is Only CPU.

L-FRA 100 Lite Kit

5 x 35
6 x 27
7 x 22
8 x 32
12 x 12
24 x 30
24 x 32
24 x 36

L-FRA-100 with UL Listed and Individually Labeled Protect 3 Glass - 2 Pack Cartons

With GT-118 Glazing Tape Applied

Order Size
(Cut-Out Size)

5 x 35
6 x 27
7 x 22
8 x 32
12 x 12
24 x 30*
24 x 32*
24 x 36*

Color Options

Gray
Gray
Gray
Gray
Gray
Gray
Gray
Gray

Safety Rated
Exposed Glass Size
(Visible Light)

3 x 33
4 x 25
5 x 20
6 x 30
10 x 10
22 x 28
22 x 30
22 x 34

*Customer Pick-Up Only

Pyran-F CLEAR FIRE RATED GLASS

Fire-Protective Safety Clear Glass Ceramic

3/16" Thick Glass Ceramic / Neutral Coloration - Clear and Wireless

L-FRA-100 with Clear Fire-Protective Safety Glass Ceramic - 2 pack Cartons

Order Size
(Cut-Out Size)

5 x 35
6 x 27
7 x 22
12 x 12

Color Options

Gray
Gray
Gray
Gray

Exposed Glass Size
(Visible Light)

3 x 33
4 x 25
5 x 20
10 x 10

Please Note:
We Do Not Break Carton.
Must Ship Per Carton.



Clear Temp Glass

1/4" thick clear heat treated glass

Impact safety-rated; Not fire-rated; STC 31 rating

Order Size (Glass Only)

(Actual Glass Size)

23 x 29

23 x 31

23 x 35

L-FRA 100 Lite Kit

24 x 30

24 x 32

24 x 36

L-FRA-100 with clear tempered glass - 2 Pack Cartons

With GT-118 Glazing Tape Applied

Order Size

(Cut-Out Size)

5 x 35

6 x 27

7 x 22

8 x 32

12 x 12

Color Options

Gray

Gray

Gray

Gray

Gray

Safety Rated

Exposed Glass Size

(Visible Light)

3 x 33

4 x 25

5 x 20

6 x 30

10 x 10


Please Note:

We Do Not Break Carton. Must Ship Per Carton

Metal Edges and Astragals


563 - 84"

No Preps - Bronze Only
3° Beveled Edge
(Edge and Astragal Set)




552 - 84"

No Preps - Bronze Only
3° Beveled Edge
(Astragal Only)



543 - 84"

No Preps - Bronze Only
3° Beveled Edge
(Edge Set)



THRESHOLDS


SADDLE & PANIC TYPE THRESHOLDS

SADDLE THRESHOLDS - (Including Screws with Plastic Plugs)

424 E

36"


72"



425 E

36"


72"



325

36"


48"



513

36"

72"




PANIC TYPE THRESHOLDS - (Including Screws with Plastic Plugs)

804 V

(Vinyl)

36"

72"




896 V

(Vinyl)

36"

48"

72"



Phone: (770) 923-9227

Fax: (770) 923-9262

Email: sales@sbsassoc.com

Web: sbsassoc.com

PLEASE CONTACT US FOR CURRENT PRICING.

SEALS

DOOR SWEEPS & AUTOMATIC DOOR BOTTOMS

DOOR BOTTOMS - (SILLS)

200 NA 36"
48"

200 NDKB 36"
48"

C 627 A 36"


601 A 36"

C 697 A 36"
48"


C 699 A 36"
48"

97 V 36"

B 606 A 36"
48"




200N




C627A




601A



C697A




C699A




97V

AUTOMATIC DOOR BOTTOM

222 NA - 36 36"



B606A



222NA



Phone: (770) 923-9227

Fax: (770) 923-9262

Email: sales@sbsassoc.com

Web: sbsassoc.com

PLEASE CONTACT US FOR CURRENT PRICING.

SEALS

DOOR SWEEPS & AUTOMATIC DOOR BOTTOMS

DOOR JAMB SETS

160 V


1ea. 36" x 2ea. 84" set
1ea. 72" x 2ea. 84" set

152 V

1ea. 36" x 2ea. 84" set
1ea. 72" x 2ea. 84" set

155 V

1ea. 36" x 2ea. 84" set



160V, 152V

155V


SELF ADHESIVE STRIPS

5050 C

(Charcoal)

17 FT.

20 FT.




5050C

Brush Astragal

A605 - A

2ea. 84" set



A605A


RAIN DRIPS

16 A

40"

52"

84"



16A



Phone: (770) 923-9227

Fax: (770) 923-9262

Email: sales@sbsassoc.com

Web: sbsassoc.com

PLEASE CONTACT US FOR CURRENT PRICING.

CONTINUOUS GEARED ALUMINUM HINGES

UL-FIRE LABLED 90 Minute

CONCEALED

HD 2400

HD2400A-83"

(Clear Aluminum)

HD2400A-95"


(Clear Aluminum)

HD2400DKB-83"

(Dark Bronze)

HD2400DKB-95"

(Dark Bronze)



Concealed Geared Hinges come standard non-handed with both #12-24 TEK Machine Screws and 12-1 1/2 Wood Screws.

HALF SURFACE


HD 5400

HD5400A-83"

(Clear Aluminum)

HD5400DKB-83"

(Dark Bronze)



FULL SURFACE

HD 5700

HD5700A-83"

(Clear Aluminum)

HD5700DKB-83"

(Dark Bronze)

